









































- Stien, A, Bjorn, P.A., Heuch, P.A. and Elston, D.A. (2005) Population dynamics of salmon lice *Lepeophtheirus salmonis* on Atlantic salmon and sea trout. *Marine Ecology Progress Series* 290, 263–275.
- Stien, L.H., Dempster, T., Bui, S., Glaropoulos, A., Fosseidengen, J.K., Wright, D.W. and Oppedal, F. (2016) ‘Snorkel’ sea lice barrier technology reduces sea lice loads on harvest-sized Atlantic salmon with minimal welfare impacts. *Aquaculture* 458, 29–37.
- Taranger, G.L., Karlsen, Ø., Bannister, R.J., Glover, K.A., Husa, V., Karlsbakk, E., Kvamme, B.O., Boxaspen, K.K., Bjørn, P.A. Finstad, B., Madhun, A.S., Morton, H.C. and Svåsand, T. (2015) Risk assessment of the environmental impact of Norwegian Atlantic salmon farming. *ICES Journal of Marine Research* 72, 997–1021.
- Todd C.D., Walker A.M., Ritchie M.C., Graves A.J. and Walker A.F. (2004) Population genetic differentiation of sea lice (*Lepeophtheirus salmonis*) parasitic on Atlantic and Pacific salmonids: analyses of micro-satellite DNA variation among wild and farmed hosts. *Canadian Journal of Fisheries and Aquatic Sciences* 61, 1176–1190.
- Wolf, J., Stuiver, C., Price, D., Johnson, H., Gallego, A. and O’Hara Murray, R. (2016) The Scottish shelf model. Part 6: Wider domain and sub-domain integrations. *Scottish Marine and Freshwater Science* 7(8).

author eprint